



PERSONAL INFORMATION:

Full Name: Seyed Yousef Paighambari

Nationality: Iranian

Academic Level: Associate Professor

Cell: 989122069187

E-mail: syPaighambari@gau.ac.ir

EDUCATION:phd

1986 – 1990 BSc. Student of Fisheries, Faculty of Natural Resources, Tehran University, I.R.IRAN.

1991 – 1994 MSc. Student of Fisheries, Faculty of Natural Resources, Tehran University, I.R.IRAN.

1996-2001 PhD Student of Fisheries, Faculty of Natural Resources, Tarbiat modares University, I.R.IRAN.

RESEARCH INTEREST:

Fishing Technology,Aquatics Behaviour

PUBLICATION:

Hout , A., Paighambari, S. Y., Eighani, M., Broadhurst, M.K. .., and Byse,S.M. 2022. Utility of gillnets for selectively targeting penaeids off Iran. Aquaculture and Fisheries.7(1) 74-79.

Badali, R. , Paighambari, S.Y., Zare, P. and Abbaspour Naderi, R.2021. Identification of three cephalopods from the Iranian waters of the Gulf of Oman (Continental shelf area). Iranian Journal of Animal Biosystematics .17(1).15-22

Pouladi,M., Paighambari, S. Y., Millar,R.B.and Babanezhad,M.2021. Estimation of gillnet mesh size for Narrow-barred Spanish mackerel (*Scomberomorus commerson* Lacépède, 1800) using girth measurements, Northwest Persian Gulf. Iranian Journal of Fisheries Sciences. 20(1) 179-194

Pouladi,M., Paighambari, S. Y., Broadhurst, M.K, Millar,R.B.and Eighani,M.2021.Effects of season and mesh size on the selection of narrow-barred Spanish mackerel, *Scomberomorus commerson* in the Persian Gulf artisanal gillnet fishery. Journal of the Marine Biological Association of the United Kingdom.100(8).1321-1325

Pouladi,M., Paighambari, S. Y., Millar,R.B.and Babanezhad,M.2020Gillnet catch composition and biodiversity in Bushehr County, Persian Gulf, Iran. Journal of Wildlife and Biodiversity 4(3): 58-69

Pouladi,M., Paighambari, S. Y., Millar,R.B.and Babanezhad,M.2020. Length-weight relationships and condition factor of five marine fish species from Bushehr Province, Persian Gulf, Iran. Thalassas: An International Journal of Marine Sciences.36(2)0457-461

Paighambari, S. Y., GhaedMohammadi,M., Raeisi,H and Pouladi,M.,2020Seasonal comparison of catch composition, biodiversity and length-weight relationships of fish fauna in Doroudzan Dam, Fars Province, Iran. Journal of Wildlife and Biodiversity 4(1): 18-28

Eighani, M.,Byse,S.M., Paighambari, S. Y., and Broadhurst, M.K. 2020. Mono- vs multifilament gillnets: effects on selectivity of narrow-barred Spanish mackerel *Scomberomorus commerson* in the Persian Gulf. Journal of the Marine Biological Association of the United Kingdom.100(2).285-290

Eighani, M ., Paighambari, S. Y., Bayse,.S.M.2019. Comparing handline and trolling fishing methods in the recreational pelagic fishery in the Gulf of Oman. Scientia Marina 83(3). 215-222

Eighani, M ., Paighambari, S. Y., Taquet,M. Gaertner.J.C. 2019.Introducing nearshore fish aggregation devices (FAD) to artisanal Persian Gulf fisheries: A preliminary study.Fisheries Research.212: 35-39

Eighani, M ., Paighambari, S. Y .2019.Performance of Bycatch Reduction Devices in the Small-Scale Shrimp Trawl Fishery of the Persian Gulf. Thalassas: An International Journal of Marine Sciences. 35:229–238

Eighani, M. Paighambari, S. Y., Herrmann,, B., and Feekings, J. 2018. Effect of bait type and size on catch efficiency of narrow-barred Spanish mackerel (*Scomberomorus commerson*) in the Persian Gulf handline fisheries. Fisheries Research. 199: 32-35.

Herrmann,, B., Eighani, M. Paighambari, S. Y., and Feekings, J. 2018. Effect of hook and bait size on catch efficiency in the Persian Gulf recreational fisheries. Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science 10:314–324.

Aghilinejhad, S.M. , Gorgin,S. , Uhm,DV. , Joolaie, R. ,Ghorbani,R . ,Paighambari,SY. , Mohammad,iJ. , Jalali,A.2018 What are the drivers of the occurrence of illegal fishing and

conservation barriers of sturgeons in the Caspian Sea?. Aquatic Conservation: Marine Freshwater Ecosystem.DOI: 10.1002/aqc.2897

Darvishi M.; Paighambari S.Y.; Ghorbani.R.; Kaymaram F.2018. Population assessment and yield per recruit of longtail tuna(*Thunnus tonggol*) in Northern of the Persian Gulf and Oman Sea (Iran, Hormozgan Province).. Iranian Journal of Fisheries Sciences. 17(4) 776-789

Parsa M.; Kamrani E.; Safaei M.; Paighambari S.Y.;Nishida. T.2018. Identification of bycatch species of tuna purse seiners in Iranian waters of Oman Sea. Iranian Journal of Fisheries Sciences. 17(1) 239-244

Masompour Y., Gorgin, S. Pighambari, S.Y., Karimzadehb Gh. Babanejad, , M. Eighani M.2018. The impact of ghost fishing on catch rate and composition in the southern Caspian Sea. Marine Pollution Bulletin.

Paighambari, S.Y; Daliri. M., Pouladi,M; Madah Arefi .,H.2018. Length-weight Relationships of four marine fish species in the Gulf of Oman (Konarak, Iran). Journal of Applied Ichthyology. DOI: 10.1111/jai.13637.

Paighambari, S.Y; Pouladi,M; Daliri. M., Moghimi Tilami.,B.2018. Length-weight relationships of four marine fish species in Motaf fishing grounds, southern waters of Bushehr(the north of the Persian Gulf, Iran). Journal of Applied Ichthyology. DOI: 10.1111/jai.13647

Pouladi,M; Moradinasab,A ;Paighambari, S.Y; Daliri. M., Raeisi, H., .. Shabani, M. J. 2018. Length-weight relationships of three caught flatfish using shrimp trawler in Motaf fishing grounds, Bushehr province (Persian Gulf). Journal of Applied Ichthyology. DOI: 10.1111/jai.13678

Bibak,Z; Paighambari,S.Y. ; Pouladi,M. ; Ghorbani,R. ; Hosseini,S.A. ;Yahyaei .M. 2018. Population dynamics and CPUE of *Alosa* genus with emphasis on *Alosa braschnikovi* (Borodin, 1904) on the coasts of Golestan Province, Iran. BIODIVERSITAS. 19(1). 59-66

SEYED HOSSEINI,S.M. Paighambari,S.Y. ; Pouladi,M. ; SHABANI, M .J. 2018. Estimation of CPUE and CPUA of three caught fish by bottom trawler in the Motaf fishing grounds, Bushehr Province, Persian Gulf, Iran

FOULADI SABET, A; Paighambari,S.Y. ; Pouladi,M. ; Raeisi, H., ABBASPOUR NADERI , R.2018. Bycatch composition of cutlassfish trawlers during fishing season in Bushehr and Hormozgan, Persian Gulf, Iran. BIODIVERSITAS.

Paighambari, S. Y. and Eighani, M. 2017. Study on different hook and bait types in the Persian Gulf handline fishery: optimization and development. *Aquatic Living Resources*. 30, 23. DOI: 10.1051/alr/2017007

Saberi, M. , Paighambari, S. Y. , Darvishi, M. , Farkhondeh Shilsar, G. 2017. Length-weight relationships of six fish species from the Coastal Waters of Jask, Iran. *Journal of Applied Ichthyology*. 33:1226–1228.

Abbasi,M.R; Paighambari, S.Y; Pouladi,M. ; Ghorbani,R.2017. Catch composition, length frequency and biomass of commercial carps in Zayandehrud dam, Isfahan Province, Iran. *BIODIVERSITAS*. 18(3). 939-944.

Paighambari, S.Y; Pouladi,M; Parsa, M; Mehdipour,N; HaghigatJou, N; Jabaleh,A; Hedayati ,A.2017. Seasonal relative abundance of fish larvae in Helleh River estuary(north of the Persian Gulf, Iran). *BIODIVERSITAS* 18(2).551-557.

Eighani, M. Paighambari, S. Y., Eayrs, S.2016. Comparison of a rigid grid to a square-mesh

panel in size selection for commercial fishing in the Persian Gulf shrimp trawl fishery. *Journal of Applied Ichthyology*. 32: 1026–1031.

Kazemi, S. H., Paighambari , S. Y., Sensurat, T., Abaspour Naderi, R.and Aydin, C.2016. Size Selectivity of 75 and 90 mm Square Mesh Windows (SMW) Codend for Four Species in Persian Gulf (Hormuzgan Province, Iran) Dhow Prawn Fisheries. *Turkish Journal of Fisheries and Aquatic Sciences*. Vol 16.103-111.

Paighambari, S. Y. and Eighani, M. 2016. Size selection of three commercial fish using sorting grids in the Persian Gulf shrimp trawl fishery. *Regional Studies in Marine Science*. Vol 3.251-253.

Daliri, M., Kamrani, E., Jentoft, S. and Paighambari, S. Y. 2016. Why is illegal fishing occurring in the Persian Gulf? A case study from the Hormozgan province of Iran. *Ocean & Coastal Management*. 120: 127-134

Monsef Rad, S.F ., Paighambari S.Y., Haji Moradlou, A., Mashayekhi, F., Qorbani R. 2016.

Evaluation of electronarcosis and clove oil for short-term anesthesia in common carp, *Cyprinus carpio* L. 1758. *Caspian journal of Environmental Sciences*. 14(4). 299-310

. Daliri. M., Kamrani, E. , Parsa M.; Paighambari, S. Y. and Nekuro.A.2016.Analysing the catch rate of green tiger shrimp (*Penaeus semisulcatus*) using some statistical uncertainty methods (Bushehr coastal waters).*Indian Journal of Geo Marine Sciences*. 45(11). 1531-1535.

Rostamzad, H., Paighambari,S. Y., Shabanpour, B., Ojagh,S. M. and Mousavi, S. M.2016. Improvement of fish protein film with nanoclay and transglutaminase for food packaging. Food Packaging and Shelf Life. Vol 7. 1-7.

Salahi-gezazl, M., Paighambari. S. Y., Abbaspour-Naderi, R. and Vesaghi, M. J. 2015. Length-weight relationships for two marine fish species from the Gulf of Oman: *Uranoscopus guttatus* Cuvier, 1829 and *Lagocephalus inermis* (Temminck & Schlegel, 1850). Journal of Applied Ichthyology. Vol 31.1142-1143

Daliri. M., Kamrani, E. and Paighambari, S. Y. 2015. Illegal shrimp fishing in Hormozgan inshore waters of the Persian Gulf. Egyptian Journal of Aquatic Research. Vol 41. 345-352.

Rostamzad, H., Paighambari,S. Y., Shabanpour, B.and Ojagh,S. M. 2015. Characteristics of a biodegradable protein based films from Silver carp (*Hypophthalmichthys molitrix*) and their application in Silver carp fillets.International Food Research Journal. 22 (6): 2318 - 2326

Eighani, M. and Paighambari, S. Y. 2014. Performance of a Square Mesh Panel in Capturing Immature Indian Halibut in Shrimp Trawlers in the Persian Gulf. Journal of the Persian Gulf. Vol. 5/No. 15.1-8

Kazemi, S. H., Paighambari, S. Y. and Abaspour Naderi, R. 2014. By-Catch and Discard Composition of Dhow Penaeid Trawl Fisheries in Hormuzgan Province, the Northern Persian Gulf. Journal of the Persian Gulf. Vol. 5/No. 16. 49-56.

Eighani, M., Daliri, M., Paighambari, S. Y. and Alizadeh, E. 2013. Length-weight relationship and GSI index of smallhead hairtail,*Eupleurogrammus muticus* (Gray,1831) , northern Persian Gulf, Hormozgan coastal waters. Applied Ichthyology.

Eighani, M. and Paighambari, S. Y. 2013. Shrimp by catch and discard composition of small- scale shrimp trawlers in the Hormuzgan coasts, Iran, in Persian Gulf. The Philippine Agricultural Scientist. 96 (3).

Gerami, M. H., Ghorbani, R., Paighambari, S. Y. and Momeni, M. 2013. Reproductive season, maturation size (LM50) and sex ratio of Metapenaeus affinis (Decapoda: Penaeidae) in Hormozgan shrimp fishing grounds, south of Iran. International Journal of Aquatic Biology. Vol 2.

Kazemi, H., Paighambari, S. Y., Daliri, M. and Abbaspour Naderi, R. 2013. Length-weight and length-length relationships, condition factors and optimal length of some fish species from the Persian Gulf and Oman sea. International Journal of Aquatic Biology. Vol 4.

Gharache, M. H., Paighambari, S. Y. and Golpour A. 2013. Hematological and biochemical indices of kutum *Rutilus frisii kutum*, associated with capture methods. Comparative Clinical Pathology. DOI 10.1007/s00580-013-1728-2

Daliri, M., Paighambari, S. Y., Shabani, M. J. and Davoodi, R. 2013. The effect of depth variation on size and catch rate of green tiger shrimp, *Penaeus semisulcatus* (De Haan, 1884) in Bushehr coastal waters, Northern Persian Gulf. African Journal of Biotechnology. Vol 20.

Raeisi, H., Paighambari, S.Y., Davoodi, R., Bibak, M., Hosseini, S. H. and Shabani, M. J. 2012. Length-weights relationships and relative weights of some demersal fish species from the Persian Gulf, Iran. African Journal of Agricultural Research. Vol 5.

Raeisi, H., Hosseini, S. A., Paighambari, S. Y., Shabni, M. J. and Kiaalvandi, S. 2012. Study of Natural and Fishing Mortality and Exploitation Rate of Largehead hairtail, *Trichiurus lepturus* (Linnaeus, 1758) from the Northern Persian Gulf, Iranian waters. Caspian Journal of Applied Sciences Research. Vol 7.

Raeisi, H., Hosseini, S. A., Paighambari, S. Y. and Daliri, M. 2012. The Effect of Towing Duration on the Catch per Unit of Swept Area (CPUA) from the Bottom Trawl Surveys in the Persian Gulf. Caspian Journal of Applied Sciences Research. Vol 8.

Raeisi, H., Hosseini, S.A., Paighambari, S. Y. and Davoodi, R. 2012. Abundance of Cutlassfish *Trichiurus lepturus* (Linnaeus, 1758) in Bushehr Waters. Annual Review and Research in Biology. Vol 2.

Hosseini, S. A., Raeisi, H. and Paighambari, S. Y. 2012. Temporal and Spatial Variations of Finfish Bycatch of Cutlassfish Trawl in Bushehr and Hormozgan marine Waters, the Northern Persian Gulf. Journal of the Persian Gulf. Vol 9.

Raeisi, H., Paighambari, S. Y. and Kia Alvandi, S. 2012. Weight-length relationships and condition factors for Sturgeon fish species from the Southeastern Caspian Sea, Iranian waters. Caspian Journal of Applied Sciences Research. Vol 4.

Moradinasab, Gh., Daliri1, M., Ghorbani, R., Paighambari, S.Y. and Davoodi, R. 2012. Length-weight and length-length relationships, Relative condition factor and Fulton's condition factor of Five Cyprinid species in Anzali wetland, southwest of the Caspian Sea. Caspian Journal of Environmental Sciences. Vol 1.

Moradinasab, Gh., Raeisi, H., Paighambari, S.Y., Ghorbani, R., and Bibak, Z. 2012. Length-weight relationships, relative condition factor and relative weight of three fish species from beach seine fishing grounds in Iranian coastal waters of Caspian Sea. . Caspian Journal of Applied Sciences Research. Vol:5.

Moradinasab, Gh., Raeisi, H., Ghorbani, R., Paighambari, S.Y. and Davoodi, R. 2012. Weight-Length Relationship for *Clupeonella cultriventris caspia* (Svetovidov, 1941) in Iranian Waters of the Southwest Caspian Sea. American Journal of Experimental Agriculture.

Daliri, M., Paighambari, S. Y., Shabani M. J. and Davoodi, R. 2012. Shrimp Stock Assessment in Bushehr coastal waters of the Persian Gulf. Caspian Journal of Applied Sciences Research.

H. Raeisi, S. Y. Paighambari, R. Davoodi, M. Bibak, S. A. Hoseini and M. J. Shabni. 2012 . Length-weights relationships and relative weights of some demersal fish species from the Persian Gulf, Iran. African Journal of Agricultural Research Vol. 7(5), pp. 741-746.

M. Daliri, S. Y. Paighambari, M. J. Shabani, M. Pouladi and R. Davoodi. 2012. Length-Weight and Length-Girth Relationships, Relative Weight and Relative Condition Factor of Four Commercial Fish Species of Northern Persian Gulf. Annual Review and Research in Biology. 2(1): 15-26.

Hadi Raeisi, Seyyed Yousef Paighambari, Saeid Kia Alvandi. 2012. Weight-length relationships and condition factors for Sturgeon fish species from the Southeastern Caspian Sea, Iranian waters. Caspian Journal of Applied Sciences Research, 1(4), pp. 1-6.

Paighambari, S. Y. and Daliri, M. 2012. The By-catch Composition of Shrimp Trawl Fisheries in Bushehr Coastal Waters, the Northern Persian Gulf. Journal of the Persian Gulf. Vol. 7.

Paighambari, S. Y., Daliri, M. and Memarzadeh, M. 2012. The Effects of Jig Color and Depth Variation on Catch Rates of Purple back Flying Squid, *Sthenoteuthis oualaniensis* (Lesson, 1830) in Iranian Waters of the Oman Sea. Caspian Journal of Applied Sciences Research. Vol. 7.

Koohani, M., Paighambari, S. Y., Adeli, A. and Ghorbani, A. 2012. Temporal Variation of Catch rate and Length Frequency of *Clupeonella cultriventris* (Nordmann, 1840) in Southwest of the Caspian Sea (Bandar-e Anzali). Caspian Journal of Applied Sciences Research. Vol. 7.

Daliri, M., Paighambari, S. Y., Shabani, M. J. and Davoodi, R. 2012. Length-weight relationship and condition of five marine fish species collected by shrimp trawls in Bushehr coastal waters, northern Persian Gulf. African Journal of Agricultural Research. Vol 28.

Daliri, M., Eighani, M., Paighambari, S. Y., Alizadeh, E. 2012. Some Morphological Characteristics of Five Marine Fish Species of Hormozgan coastal waters (Northern Persian Gulf). Caspian Journal of Applied Sciences Research. Vol 6.

Kiaalvandi, S., Paighambari, S. Y., Valinassab, T. and Hosseini, S. A. 2012. Bycatch Composition of Myctophid Mid-water Trawls in Iranian Waters of the Oman Sea. Caspian Journal of Applied Sciences Research. Vol 7.

Gerami, M. H., Paighambari, S. Y., Ghorbani, R. and Momeni, M. 2012. Population Structure, Growth and Mortality Rates of Jinga Shrimp, *Metapenaeus affinis* in Fishing Grounds of Hormozgan Province, Iran. Caspian Journal of Applied Sciences Research. Vol 8.

Raeisi, H., Hosseini, S. H., Paighambari, S. Y., Taghavi, S. A. A. and R. Davoodi, R. 2011. Species composition and depth variation of cutlassfish (*Trichiurus lepturus* L. 1785) trawl bycatch in the fishing grounds of Bushehr waters, Persian Gulf. African Journal of Biotechnology Vol. 10(76), pp. 17610-17619.

Raeisi, H., Daliri, M., Paighambari, S. Y., Shabani, M. J. Bibak, M. and Davoodi, R. 2011. Length-weight relationships, condition factors and relative weight of five fish species of Bushehr waters, Northern Persian Gulf. African Journal of Biotechnology Vol. 10(82), pp. 19181-19186.

ACADEMIC TEACHING EXPERIENCE: 24 years

LANGUAGES: Persian, English

Gorgan University of Agricultural Sciences & Natural Resources